



YONGKANG RUIJING HARDWARE TOOLS CO.,LTD

TEL: 0086-13175535176
FAX: 0086-579-85181476
E-mail: derapowertools@gmail.com
<https://derapowertools.com>



YONGKANG RUIJING HARDWARE TOOLS

CATALOGUE FOR **DERA®**

ELECTRIC DRILL

DK610E



Drill Capacity:Steel	Φ10mm
Drill Capacity:Wood	Φ15mm
No Load Speed	0-2500r/min
Rated Input Power	400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	18kg/10Pcs
Dimension	49*31.5*26.5cm
Qty/1*20 container	5650pcs

DK610F



Drill Capacity:Steel	Φ10mm
Drill Capacity:Wood	Φ15mm
No Load Speed	0-2500r/min
Rated Input Power	800W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	22.9kg/10Pcs
Dimension	58.5*42.5*28cm
Qty/1*20 container	3600pcs

DK610G



Drill Capacity:Steel	Φ10mm
Drill Capacity:Wood	Φ15mm
No Load Speed	0-3300r/min
Rated Input Power	450W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	15.72kg/10pcs
Dimension	35x26.5x47.2cm
Qty/1*20 container	6600pcs

DK616B



Drill Capacity:Steel	Φ16mm
Drill Capacity:Wood	Φ35mm
No Load Speed	950r/min
Rated Input Power	1001W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	21kg/5pcs
Dimension	62x33x35cm
Qty/1*20 container	2000pcs

IMPACT DRILL

DK613B



Drill Capacity:Steel	Φ13mm
Drill Capacity:Wood	Φ25mm
No Load Speed	0-3000r/min
Rated Input Power	750W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	21kg/10pcs
Dimension	57x39x26.5cm
Qty/1*20 container	4900pcs

DK613F



Drill Capacity:Steel	Φ13mm
Drill Capacity:Wood	Φ25mm
No Load Speed	0-3000r/min
Rated Input Power	950W/1050W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	25kg/10Pcs
Dimension	64*39.5*26cm
Qty/1*20 container	4250pcs

DK355A



Blade Diameter	Φ355mm
Steel Type	110x130mm
Rated Input Power	2400W
No Load Speed	3900r/min
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	18.8kg/1pc
Dimension	57x33.5x41.5cm
Qty/1*20 container	350pcs

DK355B



Blade Diameter	Φ355mm
Steel Type	110x130mm
Rated Input Power	1800W
No Load Speed	3900r/min
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	17kg/1pc
Dimension	53x31.5x42cm
Qty/1*20 container	407pcs

CUT OFF MACHINE

DK355C



Blade Diameter	Φ355mm
Rated Input Power	2400W
No Load Speed	3900r/min
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	17.5kg/1pc
Dimension	56.5x34x42.5cm
Qty/1*20 container	350pcs

DK400B



Blade Diameter	Φ400mm
Rated Input Power	3000W(4HP)
No Load Speed	2840r/min
Rated Voltage	380/220V
Rated Frequency	60/50Hz
Weight(kg)	62kg/1pc
Dimension	69x46x54cm
Qty/1*20 container	350pcs

DK-CUM-255A



Blade Diameter	Φ255mm
Cutting Depth	70x140mm
Rated Voltage	110/220V~
No-Load Speed	6000r/min
Rated Input Power	2000W
G.W./PCS	13kg/1Pc
Carton Size	59.5x44x44.5cm
Qty/1*20 container	250pcs

DK255B



Blade Diameter	Φ255mm
Cutting Depth	70x140mm
Rated Voltage	110/220V~
No-Load Speed	6000r/min
Rated Input Power	1800W
G.W./PCS	10.8kg/1Pc
Carton Size	52.5x39.5x40.5cm
Qty/1*20 container	356pcs

MITRE SAW

DK-CUM-305



Blade Diameter	Φ305mm
Cutting Depth	75x185mm
Rated Voltage	110/220V~
No-Load Speed	4500r/min
Rated Input Power	2200W
G.W./PCS	14kg/1Pcs
Carton Size	59.5x44x44.5cm
Qty/1*20 container	250pcs

DK-CUM-255E



Blade Diameter	Φ255mm
Cutting Depth	70x140mm
Rated Voltage	110/220V~
No-Load Speed	6000r/min
Rated Input Power	2200W
G.W./PCS	14.85kg/1Pcs
Carton Size	58x46x41.5cm
Qty/1*20 container	250pcs

DK-CUM-255G



Blade Diameter	Φ255mm
Cutting Depth	70x140mm
Rated Voltage	110V/220V
No-Load Speed	5000r/min
Rated Input Power	2200W
G.W./PCS	15kg/1pcs
Carton Size	81x56x45cm
Qty/1*20 container	144pcs

DK-TB-3255A



Blade Diameter	Φ255mm
Cutting Depth	70x140mm
Rated Voltage	110V/220V
No-Load Speed	4800r/min/1600r/min
Rated Input Power	2000W/500W
G.W./PCS	37.8kg/1pcs
Carton Size	84x76.5x35cm
Qty/1*20 container	130pcs

CORDLESS DRILL

DK12V-2



Drill Capacity:Steel	Φ10mm
Aluminum	Φ15mm
Wood	Φ24mm
No Load Speed	650r/min
Battery	12V/1500mA
Max Torque	21N.m
Weight(kg)	21kg/10pcs
Dimension	61x47.5x27cm
Qty/1*20 container	3653pcs

DK16V-1



Drill Capacity Steel	Φ10mm
Aluminum	Φ15mm
Wood	Φ30mm
No-Load Speed	0-500/0-1800r/min
Battery	16.8V
Maximum torque	42N.m
G.W./pcs	18kg/10pcs
Carton Size	59.5x42x35cm
Qty/1*20 container	3600pcs

DK20V-1



Drill Capacity Steel	Φ10mm
Aluminum	Φ15mm
Wood	Φ30mm
No-Load Speed	0-1350r/min
Battery	20V
Maximum torque	25N.m
G.W./pcs	18kg/5pcs
Carton Size	59.5x42x35cm
Qty/1*20 container	1800pcs

DK21V-2



Drill Capacity Steel	Φ10mm
Aluminum	Φ15mm
Wood	Φ30mm
No-Load Speed	0-1550r/min
Battery	21V
Maximum torque	35N.m
G.W./pcs	18kg/5pcs
Carton Size	59.5x42x35cm
Qty/1*20 container	1800pcs

CORDLESS DRILL

DK21V-3



Drill Capacity Steel	Φ10mm
Aluminum	Φ15mm
Wood	Φ30mm
No-Load Speed	0-3300r/min
Battery	21V
Maximum torque	75N.m
G.W./pcs	22kg/5pcs
Carton Size	59.5x42x35cm
Qty/1*20 container	1800pcs

SCREWDRIVER

DK12V-D1



No Load Speed	0-3000r/min
Battery	12V/1500mA
Max Torque	100N.m
Impact frequency	3000bpm
Weight(kg)	22kg/10pcs
Dimension	61x47.5x27cm
Qty/1*20 container	3650pcs

CORDLESS IMPACT WRENCH

DK21V-B5



Spindle Thread	12.7mm(1/2")
Socket Size	M12-M24
No-Load Speed	0-350/0-1300R/MIN
Battery	21V
Maximum torque	320N.m
G.W./pcs	22kg/5PCS
Carton Size	59.5x42x35
Qty/1*20 container	1655pcs

CORDLESS ANGLE GRINDER

DK21V-78



Disc Diameter	Φ100mm/Φ115mm
Spindle Thread	M10/M14
No-Load Speed	0-8000r/min
Battery	21V
G.W./pcs	15kg/10pcs
Carton Size	70.5x51x30.5cm
Qty/1*20 container	2880pcs

BENCH DRILL

DK4116



Chuck Size	16MM
Max Stroke	80CM
Rated Voltage	220V
Frequency	50Hz
Rated Input Power	550W
No-Load Speed	400-3000r/min
G.W./PCS	63kg/1Pc
Carton Size	71.5x40.5x82.5cm
Qty/1*20 container	117pcs

DK4120



Chuck Size	20MM
Max Stroke	80CM
Rated Voltage	220V
Frequency	50Hz
Rated Input Power	750W
No-Load Speed	400-3000r/min
G.W./PCS	68kg/1Pc
Carton Size	71.5x40.5x82.5cm
Qty/1*20 container	117pcs

DK25A



Ability to steel plate	2.5mm
No-Load Speed	24000r/min
Rated Input Power	450W
Rated Voltage	110/220V~
Rated Frequency	60/50Hz
G.W./PCS	25kg/10Pcs
Carton Size	43.5x35x32cm
Qty/1*20 container	5740pcs



ROTARY HAMMER

DK-RH-2026



Three Function

Max Drilling Diameter	Φ26mm
No-Load Speed	0-1100r/min
Rated Input Power	800W
Max Impact Rate	4200bpm
Rated Voltage	110/220V~
Rated Frequency	60/50HZ
G.W./PCS	26kg/1Pcs
Carton Size	60.5x44x34.5CM
Qty/1*20 container	1355pcs

DK426C



Two Function

Max Drilling Diameter	Φ26mm
No-Load Speed	800r/min
Rated Input Power	1200W
Max Impact Rate	4200bpm
Rated Voltage	110/220V~
Rated Frequency	60/50HZ
G.W./PCS	29kg/4Pcs
Carton Size	49.5x45x35cm
Qty/1*20 container	1436pcs

DK426F



Two Function

Max Drilling Diameter	Φ26mm
No-Load Speed	750r/min
Rated Input Power	1050W
Max Impact Rate	4200bpm
Rated Voltage	110/220V~
Rated Frequency	60/50HZ
G.W./PCS	25kg/4Pcs
Carton Size	47x41.5x34.5cm
Qty/1*20 container	1664pcs

DK428D



Two Function

Max Drilling Diameter	Φ26mm
No-Load Speed	800r/min
Rated Input Power	1200W
Max Impact Rate	4100bpm
Rated Voltage	110/220V~
Rated Frequency	60/50HZ
G.W./PCS	29kg/4Pcs
Carton Size	49.5x45x35cm
Qty/1*20 container	1436pcs

ROTARY HAMMER

DK38A



Max Drilling Diameter	Φ38mm
No-Load Speed	400r/min
Rated Input Power	1200W
Max Impact Rate	3250bpm
Rated Voltage	110/220V~
Rated Frequency	60/50HZ
G.W./PCS	22kg/2Pcs
Carton Size	51x25.5x33cm
Qty/1*20 container	1304pcs

DK40G-3



Max Drilling Diameter	Φ17mm
No-Load Speed	2900r/min
Rated Input Power	1100W
Max Impact Rate	3000bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	22kg/2Pcs
Carton Size	51.5x26x33.5cm
Qty/1*20 container	1248pcs

DK40G-5



Max Drilling Diameter	Φ17mm
No-Load Speed	2900r/min
Rated Input Power	1100W
Max Impact Rate	3000bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	21kg/2Pcs
Carton Size	52x26.5x33cm
Qty/1*20 container	1164pcs

DK40G-6



Max Drilling Diameter	Φ17mm
No-Load Speed	2800r/min
Rated Input Power	1200W
Max Impact Rate	3000bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	23kg/3Pcs
Carton Size	51x35.5x34cm
Qty/1*20 container	1362pcs

DEMOLITION HAMMER

DEMOLITION HAMMER

DK40G-7



Max Drilling Diameter	Φ17mm
No-Load Speed	3200r/min
Rated Input Power	1900W
Max Impact Rate	3850bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	25.5kg/3Pcs
Carton Size	51x35x34cm
Qty/1*20 container	1370pcs

DK1204



Max Drilling Diameter	Φ21mm
No-Load Speed	1900r/min
Rated Input Power	1400W
Max Impact Rate	1850bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	21kg/2Pcs
Carton Size	52x26.5x33cm
Qty/1*20 container	1230pcs

DK65A



Max Drilling Diameter	Φ65mm
No-Load Speed	1450r/min
Rated Input Power	1800W
Max Impact Rate	1850bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	23kg/1Pc
Carton Size	71.5x16.5x30.5cm
Qty/1*20 container	778pcs

DK65B



Max Drilling Diameter	Φ65mm
No-Load Speed	1850r/min
Rated Input Power	1600W
Max Impact Rate	1850bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	19kg/1Pc
Carton Size	71x16.1x29cm
Qty/1*20 container	840pcs

DEMOLITION HAMMER

DK20V-1




Max Drilling Diameter	Φ65mm
No-Load Speed	2900r/min
Rated Input Power	1700W
Max Impact Rate	1850bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	26kg/1Pcs
Carton Size	88.7x17.5x36cm
Qty/1*20 container	523pcs

DK95B



Max Drilling Diameter	Φ65mm
No-Load Speed	1900r/min
Rated Input Power	1700W
Max Impact Rate	1850bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	21kg/1Pc
Carton Size	71x16.1x29cm
Qty/1*20 container	840pcs

DK-SH-114



Max Drilling Diameter	Φ65mm
No-Load Speed	2000r/min
Rated Input Power	2800W
Max Impact Rate	1700bpm
Rated Voltage	110/220V
Rated Frequency	50/60Hz
G.W./PCS	26kg/1Pc
Carton Size	87.5x36.5x18cm
Qty/1*20 container	487pcs



ENGINEERING DRILL

DK8118



Max Chuck Diameter	Φ118mm
Rated Voltage	110/220V
Frequency	50/60Hz
Rated Input Power	1600W
No-Load Speed	0-2100r/min
G.W./PCS	21kg/4Pcs
Carton Size	55x36x28cm
Qty/1*20 container	2020pcs

DK8120



Max Chuck Diameter	Φ120mm
Rated Voltage	110V/220V~
Frequency	50/60Hz
Rated Input Power	2000W
No-Load Speed	1600r/min
G.W./PCS	20.5kg/3Pcs
Carton Size	43.5x33.5x35.5cm
Qty/1*20 container	1623pcs

DK8168B



Max Chuck Diameter	Φ168mm
Rated Voltage	110V/220V~
Frequency	50/60Hz
Rated Input Power	2300W
No-Load Speed	0-1400r/min
G.W./PCS	15kg/1Pc
Carton Size	76x35x19cm
Qty/1*20 container	545pcs

DK8235



Max Chuck Diameter	Φ235mm
Rated Voltage	110V/220V~
Frequency	50/60Hz
Rated Input Power	3200W
No-Load Speed	700r/min
G.W./PCS	23kg/1Pc
Carton Size	86x33x20.5cm
Qty/1*20 container	480pcs

ELECTRIC MIXER

DK-EM-120B



Spindle Thread	M12
No-Load Speed	0-700r/min
Rated Input Power	1400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	12kg/2pcs
Dimension	39x33x51cm
Qty/1*20 container	876pcs

MARBLE CUTTER

DK110C



Blade Diameter	Φ110mm
Max Cutting Capacity	30mm
No-Load Speed	13800r/min
Rated Input Power	1250W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	21.72kg/6Pcs
Carton Size	68X24.5X38.5cm
Qty/1*20 container	2670pcs

DK110D



Blade Diameter	Φ110mm
Max Cutting Capacity	32mm
No-Load Speed	13000r/min
Rated Input Power	1750W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	18.5kg/4Pcs
Carton Size	48.5X25.5X40cm
Qty/1*20 container	2320pcs

WALL CHISEL

DK-GM-150-3



Blade Diameter	Φ150mm
Max Cutting Capacity	114-156mm
No-Load Speed	50000r/min
Rated Input Power	3000W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	26kg/2Pcs
Carton Size	53X29X45cm
Qty/1*20 container	826pcs

WALL CHISEL

DK-WS-355



Voltage	220V-50/60Hz
Power Input	3000W
No-Load Speed	4800r/min
Blade Size	355mm
Blade Bore Size	25.4mm
Maximum Cutting Size	127mm
G.W./PCS	17.9kg/1Pcs
Measurement	66x32.5x48cm

DK-WS-429



Rated Voltage	220V-50/60Hz
Rated Input Power	3200W
No-Load Speed	3500r/min
Blade Size	230-420mm
Blade Bore Size	25.4mm
Cutting depth	170mm
G.W./PCS	11.0kg/1Pcs
Measurement	63.5x37.5x48.7cm

DKA-02



Max cutting Leight	800/1000mm
Cutting Thickness	6-15mm
Cutting Smallest	35mm
G.W./PCS	24.7kg/2Pcs
Carton Size	112x28.5x42cm
Qty/1*20 container	500pcs

DKB-01



Max cutting Leight	800/1000mm
Cutting Thickness	6-15mm
Cutting Smallest	35mm
G.W./PCS	35kg/3Pcs
Carton Size	108.5x21x46cm
Qty/1*20 container	815pcs


TILE CUTTER MACHINE

DKD-03




Max cutting Leight	1000/1200mm
Cutting Thickness	6-15mm
Cutting Smallest	35mm
G.W./PCS	30/36kg/2Pcs
Carton Size	136.5x38x31cm
Qty/1*20 container	360pcs

DK-TM-532B



Rated Input Power	800W
Model Size	20,25,32mm
Work Degree	0-300°C
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	26kg/15pcs
Carton Size	46.5X38.5X53cm
Qty/1*20 container	4545pcs

DK-TM-563B



Rated Input Power	800W
Model Size	20,25,32,40,50,60mm
Work Degree	0-300°C
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	34.8kg/15pcs
Carton Size	46X41X60cm
Qty/1*20 container	3885pcs

DK-TM-863B



Rated Input Power	1500W
Model Size	20,25,32,40,50,60mm
Work Degree	0-300°C
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	34.8kg/5pcs
Carton Size	47X30X51cm
Qty/1*20 container	1940pcs

PLASTIC WELDING Applying to: PP-R; PB;PE;PE-X

WALL GRINDING

DK5180C



Pad Diameter	Φ180mm
No-Load Speed	1200-2300r/min
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	850W
G.W./PCS	13kg/4Pcs
Carton Size	62.5x32x54cm
Qty/1*20 container	1030pcs

DK5230C



Pad Diameter	Φ230mm
No-Load Speed	0-2400r/min
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	710W
G.W./PCS	21kg/2Pcs
Carton Size	154x28x46cm
Qty/1*20 container	282pcs

ANGLE GRINDER

DK9100A2



Disc Diameter	Φ100mm
Spindle Thread	M10
No-Load Speed	11000r/min
Rated Input Power	720W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	20kg/10Pcs
Carton Size	63X36.5X19.5cm
Qty/1*20 container	6240pcs

DK9100B



Disc Diameter	Φ100mm
Spindle Thread	M10
No-Load Speed	11000r/min
Rated Input Power	1050W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	22kg/10pcs
Carton Size	57x33x23.5cm
Qty/1*20 container	6540pcs

ANGLE GRINDER

DK9100D2



Disc Diameter	Φ100mm
Spindle Thread	M10
No-Load Speed	10200r/min
Rated Input Power	800W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	23kg/10Pcs
Carton Size	63X41X27cm
Qty/1*20 container	4010pcs

DK9100E



Disc Diameter	Φ100mm
Spindle Thread	M10
No-Load Speed	9800r/min
Rated Input Power	850W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	23kg/10Pcs
Carton Size	63X35X26.5cm
Qty/1*20 container	4790pcs

DK9100F



Disc Diameter	Φ100mm
Spindle Thread	M10
No-Load Speed	11000r/min
Rated Input Power	710W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	22kg/10Pcs
Carton Size	58X37.5X24cm
Qty/1*20 container	5360pcs

DK9100G



Disc Diameter	Φ100mm
Spindle Thread	M10
No-Load Speed	11000r/min
Rated Input Power	860W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	19kg/10Pcs
Carton Size	58X37.5X24cm
Qty/1*20 container	5360pcs

ANGLE GRINDER

DK9115B



Disc Diameter	Φ115mm
Spindle Thread	M14
No-Load Speed	11000r/min
Rated Input Power	1050W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	22kg/10pcs
Carton Size	57x33x23.5cm
Qty/1*20 container	6540pcs

DK9115A



Disc Diameter	Φ100mm
Spindle Thread	M14
No-Load Speed	11000r/min
Rated Input Power	1200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	23.5kg/10Pcs
Carton Size	62.5X36X26.5cm
Qty/1*20 container	4690pcs

DK9115F



Disc Diameter	Φ115mm
Spindle Thread	M14
No-Load Speed	11000r/min
Rated Input Power	800W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	16kg/6Pcs
Carton Size	43X33.5X25.5cm
Qty/1*20 container	4572pcs

DK9125B



Disc Diameter	Φ125mm
Spindle Thread	M14
No-Load Speed	10000r/min
Rated Input Power	1200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	16kg/4Pcs
Carton Size	48X31X28.5cm
Qty/1*20 container	2640pcs

ANGLE GRINDER

DK9125C



Disc Diameter	Φ125mm
Spindle Thread	M14
No-Load Speed	0-12000r/min
Rated Input Power	1200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	20kg/3Pcs
Carton Size	55.5X43.5X13cm
Qty/1*20 container	2676pcs

DK9125D



Disc Diameter	Φ115/125mm
Spindle Thread	M14
No-Load Speed	8500r/min
Rated Input Power	710W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	19.3kg/10Pcs
Carton Size	64.5X30.5X25cm
Qty/1*20 container	5810pcs

DK9150A



Disc Diameter	Φ150mm
Spindle Thread	M14
No-Load Speed	10000r/min
Rated Input Power	1200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	16kg/4Pcs
Carton Size	48X31X28.5cm
Qty/1*20 container	2640pcs

DK9180B



Disc Diameter	Φ180mm
Spindle Thread	M16
No-Load Speed	8500r/min
Rated Input Power	2400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	20kg/3Pcs
Carton Size	55.5X43.5X13cm
Qty/1*20 container	2676pcs

ANGLE GRINDER

DK9230B



Disc Diameter	Φ230mm
Spindle Thread	M16
No-Load Speed	8500r/min
Rated Input Power	2400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	20kg/3Pcs
Carton Size	55.5X43.5X13cm
Qty/1*20 container	2676pcs

POLISHER

DK-PL-180



Pad Diameter	180mm
Spindle Thread	M14
Rated Voltage	110/220V
No-Load Speed	600-3000r/min
Rated Input Power	1300W
G.W./PCS	19kg/4Pcs
Carton Size	51.5X40X32cm
Qty/1*20 container	1696pcs

BENCH GRINDER

S1S-T125



Wheel Diameter	125x16x12.7mm
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	250W
No-Load Speed	2840r/min
G.W./PCS	32KG/4Pcs
Carton Size	35.5X34.5X45cm
Qty/1*20 container	2032pcs

S1S-T150



Wheel Diameter	150x20x32mm
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	250W
No-Load Speed	2840r/min
G.W./PCS	18kg/2Pcs
Carton Size	42X36.5X26cm
Qty/1*20 container	1404pcs

BENCH GRINDER

S1S-T200



Wheel Diameter	200x20x32mm
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	370W
No-Load Speed	2840r/min
G.W./PCS	15kg/1Pc
Carton Size	42X27X33 cm
Qty/1*20 container	748pcs

S3S-T250



Wheel Diameter	250x25x32mm
Rated Voltage	380/220V
Frequency	60/50Hz
Rated Input Power	550W
No-Load Speed	2840r/min
G.W./PCS	22kg/1Pcs
Carton Size	44X32X38cm
Qty/1*20 container	523pcs



CIRCULAR SAW

DK185A



Blade Diameter	Φ185mm
Max Cutting Capacity	58mm
No-Load Speed	4800r/min
Rated Input Power	1400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	18kg/4Pcs
Carton Size	49.5X34.5X39.5cm
Qty/1*20 container	1700pcs

DK2185B



Aluminium Body

Blade Diameter	Φ185mm
Max Cutting Capacity	58mm
No-Load Speed	4800r/min
Rated Input Power	1450W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	18kg/4Pcs
Carton Size	49.5X34.5X39.5cm
Qty/1*20 container	1700pcs

DK185C



Blade Diameter	Φ185mm
Max Cutting Capacity	58mm
No-Load Speed	5300r/min
Rated Input Power	1380W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	18kg/4Pcs
Carton Size	49.5X34.5X39.5cm
Qty/1*20 container	1700pcs

DK185D



Aluminium Body

Blade Diameter	Φ185mm
Max Cutting Capacity	58mm
No-Load Speed	5300r/min
Rated Input Power	1380W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	18kg/4Pcs
Carton Size	49.5X34.5X39.5cm
Qty/1*20 container	1700pcs

CIRCULAR SAW

DK235A



Aluminium Body

Blade Diameter	Φ235mm
Max Cutting Capacity	84mm
No-Load Speed	4100r/min
Rated Input Power	2200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	16kg/2Pcs
Carton Size	58X42X24cm
Qty/1*20 container	896pcs

DK235B



Blade Diameter	Φ235mm
Max Cutting Capacity	84mm
No-Load Speed	4100r/min
Rated Input Power	2200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	16kg/2Pcs
Carton Size	58X42X24cm
Qty/1*20 container	896pcs

DK330A



Blade Diameter	Φ350mm
Max Cutting Capacity	130mm
No-Load Speed	3900r/min
Rated Input Power	2400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	23kg/2Pcs
Carton Size	71x60x35.5cm
Qty/1*20 container	346pcs

TRIMMER

DK306-1



Bits diameter	6.35/6mm
No Load Speed	32000r/min
Rated Input Power	500W
G.W./PCS	21kg/5pcs
Dimension	60x41.5x27cm
Qty/1*20 container	1940pcs

ELECTRIC PLANER

DK82A



Width of Cutter	82mm
Cut-Depth	1mm
Speed	15000r/min
Rated Input Power	500W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	19kg/4pcs
Carton Size	36x36x45cm
Qty/1*20 container	1732pcs

DK82B



Plastic



Width of Cutter	82mm
Cut-Depth	2.5mm
Speed	7000r/min
Rated Input Power	620W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	19kg/6pcs
Carton Size	51.5X34.5X36cm
Qty/1*20 container	2712pcs

DK90A



Width of Cutter	90mm
Cut-Depth	2mm
Speed	13000r/min
Rated Input Power	780W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	24kg/4pcs
Carton Size	43x39x42cm
Qty/1*20 container	1490pcs

BENCH PLANER

DK-TB-120



Max Deepth	80mm
Cut-Deepth	0.8mm
Max Diameter	230mm
Speed	3800r/min
Rated Input Power	780W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	41kg/1pc
Carton Size	58x33x22.5cm
Qty/1*20 container	650pcs

ELECTRIC ROUTER

DK308B



Chuck Diameter	
No-Load Speed	
Plug Running	
Rated Input Power	
Rated Voltage	
Rated Input Power	
G.W./PCS	
Carton Size	
Qty/1*20 container	

DK312C



Chuck Diameter	Φ 12/12.7mm
No-Load Speed	23000r/min
Plug Running	0-60mm
Rated Input Power	1500W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	28kg/4pcs
Carton Size	68x41.5x26.5cm
Qty/1*20 container	1600pcs

DK312E



Chuck Diameter	Φ 12/12.7mm
No-Load Speed	23000r/min
Plug Running	0-65mm
Rated Input Power	1500W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	26kg/4pcs
Carton Size	61x45.5x30.5cm
Qty/1*20 container	1408pcs

DK312G



Chuck Diameter	Φ 12/12.7mm
No-Load Speed	600-23000r/min
Plug Running	0-65mm
Rated Input Power	1950W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	28.5kg/4pcs
Carton Size	61x45.5x30.5cm
Qty/1*20 container	1228pcs

SANDER

DK745A



Pad Size	110x100mm
No-Load Speed	12000r/min
Rated Input Power	150W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	10kg/8Pcs
Carton Size	53x36.5x16cm
Qty/1*20 container	5976Pcs

DK793A



Pad Size	93x250mm
No-Load Speed	1400r/min
Rated Input Power	320W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	16kg/8Pcs
Carton Size	42x32x34.5cm
Qty/1*20 container	4520Pcs

BELT SANDER

DK100S-1



Sanding Belt Size	100x610mm
No-Load Speed	500/min ⁻¹
Rated Input Power	1200W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	15kg/2Pcs
Carton Size	40x39x31cm
Qty/1*20 container	980Pcs

JIG SAW

DK60-1



Cutting Capacity	Steel 10mm
	Wood 60mm
No Load Speed	500-3000/min
Rated Input Power	500W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	17kg/5pcs
Dimension	45x34x29cm
Qty/1*20 container	2955pcs

DK-900-S



Cutting Capacity steel	90mm
Wood	60mm
No-Load Speed	800-3500r/min
Rated Input Power	900W
Rated Voltage	110V/220V
Rated Frequency	50/60Hz
G.W./PCS	14kg/5pcs
Carton Size	47x29.5x25cm
Qty/1*20 container	4235pcs

DK-EG-06B



Collet Chuck Diameter	6mm
No Load Speed	33000r/min
Rated Input Power	850W
Rated Voltage	110/220V
Rated Frequency	50/60Hz
Weight(kg)	21kg/10pcs
Dimension	60x41.5x27cm
Qty/1*20 container	4250pcs

DK-EG-3MM



Collect Chuck Diameter	3mm
No-Load Speed	0-3300r/min
Rated Input Power	125W
Rated Voltage	110V/220V
Rated Frequency	50/60Hz
G.W./PCS	21kg/10pcs
Carton Size	70.5x51x30.5cm
Qty/1*20 container	3880pcs

AIR COMPRESSOR

DK2525



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	2.5HP
No-Load Speed	2850Rpm
Air Tank Capacity	25L
G.W./PCS	19.5kg/1Pc
Dimension	55.5x25x60cm
Qty/1*20 container	360pcs

DK3550



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	3.5HP
No-Load Speed	2850Rpm
Air Tank Capacity	50L
G.W./PCS	27.5kg/1Pc
Dimension	70x31x65cm
Qty/1*20 container	200pcs

DK4.0HP



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	4HP
No-Load Speed	2850Rpm
Air Tank Capacity	35L
G.W./PCS	26kg/1Pc
Dimension	62x29x60cm
Qty/1*20 container	240pcs

DK5.0HP-18L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	5HP
No-Load Speed	1450Rpm
Air Tank Capacity	18L
G.W./PCS	34.86kg/1Pc
Dimension	59.5x37x45cm
Qty/1*20 container	270pcs

AIR COMPRESSOR

DK-OF-09L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	800W
No-Load Speed	1450Rpm
Air Tank Capacity	15L
G.W./PCS	22.35kg/1Pc
Dimension	53x22x53cm
Qty/1*20 container	425pcs

DK-OF-30L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	980W
No-Load Speed	1450Rpm
Air Tank Capacity	30L
G.W./PCS	26.5kg/1Pc
Dimension	58x27x56.5cm
Qty/1*20 container	300pcs

DK-OF-45L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1600W
No-Load Speed	1450Rpm
Air Tank Capacity	38L
G.W./PCS	34.52kg/1Pc
Dimension	70x31x65cm
Qty/1*20 container	203pcs

DK2070



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	2200W
No-Load Speed	2800Rpm
Air Tank Capacity	16L
G.W./PCS	41kg/1Pc
Dimension	74x43x49cm
Qty/1*20 container	170pcs

AIR COMPRESSOR

DK-OF-50L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	0.98KWx2
No-Load Speed	1450Rpm
Air Tank Capacity	50L
G.W./PCS	42.84kg/1Pc
Dimension	70x30x63.5cm
Qty/1*20 container	214pcs

DK-OF-70L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1.6KWx2
No-Load Speed	1450Rpm
Air Tank Capacity	70L
G.W./PCS	61kg/1Pc
Dimension	83.5x36.5x69cm
Qty/1*20 container	135pcs

DK-OF-150L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1.6KWx3
No-Load Speed	1450Rpm
Air Tank Capacity	150L
G.W./PCS	91kg/1Pc
Dimension	130x43x85cm
Qty/1*20 container	60pcs

DK-OF-200L



Discharge Pressure	0.8Mpa
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1.6KWx4
No-Load Speed	1450Rpm
Air Tank Capacity	200L
G.W./PCS	144kg/1Pc
Dimension	156x50x89cm
Qty/1*20 container	41pcs

AIR COMPRESSOR

DK-H-0.17/8



Discharge Pressure	8Bar
Air Cylinder	Φ51mm
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	0.75KW(1.0HP)
No-Load Speed	1056Rpm
Air Tank Capacity	38L
G.W./PCS	40kg/1Pc
Dimension	76x39x64cm
Qty/1*20 container	136pcs

DK-V-0.25/8-100L



Discharge Pressure	8/12.5Bar
Air Cylinder	Φ65mmx2
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	2.2KW(3HP)
No-Load Speed	1056Rpm
Air Tank Capacity	100L
G.W./PCS	86kg/1Pc
Dimension	114x48x85cm
Qty/1*20 container	55pcs

DK-W-0.36/8-150L



Discharge Pressure	8/12.5Bar
Air Cylinder	Φ65mmx3
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	3KW(4HP)
No-Load Speed	2850Rpm
Air Tank Capacity	150/200/250L
G.W./PCS	153kg/1Pc
Dimension	143x57x114cm
Qty/1*20 container	27pcs

AIR COMPRESSOR

DK-W-0.9/8-180L



Discharge Pressure	8/12.5Bar
Air Cylinder	Φ90mmx3
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	7.5KW(10HP)
No-Load Speed	1056Rpm
Air Tank Capacity	180L
G.W./PCS	168kg/1pc
Dimension	152x53x103cm
Qty/1*20 container	35pcs

DK-W-1.05/12.5-250L



Discharge Pressure	8/12.5Bar
Air Cylinder	Φ90mmx3
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	7.5KW(10HP)
No-Load Speed	1056Rpm
Air Tank Capacity	250L
G.W./PCS	265kg/1pc
Dimension	156x59x123cm
Qty/1*20 container	25pcs

DK-V-0.67/8-200L



Discharge Pressure	8/12.5Bar
Air Cylinder	Φ65mmx2
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	2.2KW(3HP)
No-Load Speed	1056Rpm
Air Tank Capacity	200L
G.W./PCS	153kg/1pc
Dimension	152x52x100cm
Qty/1*20 container	36pcs

AIR COMPRESSOR

DK-OF-30L-750W



Discharge Pressure	8/12.5Bar
Air Cylinder	Φ50mm
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	750W
No-Load Speed	850Rpm
Air Tank Capacity	30L
G.W./PCS	40kg/1pc
Dimension	75x39x62cm
Qty/1*20 container	154pcs

CAR AIR COMPRESSOR

DK12V



Discharge Pressure	8 Bar
Air Cylinder	5x6cmx2
Rated Voltage	12V/24V
Frequency	50Hz
Rated Input Power	180W
No-Load Speed	2850Rpm
G.W./PCS	16kg/8pcs
Dimension	52x32x46cm
Qty/1*20 container	3000pcs



AIR COMPRESSOR

DK-SR-10A



Air or water-cooling
Belt drive

Discharge Pressure	8/12.5Bar
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	7.5KW
No-Load Speed	1050Rpm
G.W./PCS	78kg/1Pc
Dimension	110x58x80cm
Qty/1*20 container	55pcs

DK-SR-20A



Direct drive

Discharge Pressure	8/12.5Bar
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	15KW
No-Load Speed	1056Rpm
G.W./PCS	327kg/1Pc
Dimension	110x71x102cm
Qty/1*20 container	35pcs

DK-SR-30A



Discharge Pressure	8/12.5Bar
Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	22KW
No-Load Speed	1056Rpm
G.W./PCS	500kg/1Pcs
Dimension	125x95x112cm
Qty/1*20 container	21pcs

AIR NAILER

DK-F30L



Discharge Pressure	0.4~0.7Mpa
Nailer length	10~30mm
Capacity	100pcs
Weight(kg)	26.45kg/20pcs
Dimension	55.5x36x41cm
Qty/1*20 container	6836pcs

DK-T50L



Discharge Pressure	0.4~0.8Mpa
Nailer length	25~50mm
Capacity	100pcs
Weight(kg)	26.45kg/10pcs
Dimension	44x37.5x55.3cm
Qty/1*20 container	2850pcs

DK-422JL



Discharge Pressure	0.4~0.7Mpa
Nailer length	10~22mm
Capacity	each 100pcs
Weight(kg)	27.35kg/20pcs
Dimension	55.5x36.2x41cm
Qty/1*20 container	6318pcs

DK-1013JL



Discharge Pressure	0.4~0.7Mpa
Nailer length	6~13mm
Capacity	100pcs
Weight(kg)	20.5kg/20pcs
Dimension	47.5x30x36.5cm
Qty/1*20 container	10000pcs

AIR NAILER

DK-FST50



Discharge Pressure	0.4~0.7Mpa
Nailer length	25~50mm
Capacity	100pcs
Weight(kg)	25.9kg/10pcs
Dimension	55.5x37.2x44cm
Qty/1*20 container	2850pcs

DK-F50



Discharge Pressure	0.4~0.7Mpa
Nailer length	25~50mm
Capacity	100pcs
Weight(kg)	26.45kg/20pcs
Dimension	55.5x36x41cm
Qty/1*20 container	6836pcs

DK8016



Discharge Pressure	0.4~0.7Mpa
Nailer length	10~22mm
Capacity	100pcs
Weight(kg)	26.45kg/20pcs
Dimension	55.5x36x41cm
Qty/1*20 container	6836pcs

DK-ST64L



Discharge Pressure	0.5~0.8Mpa
Nailer length	18~64mm
Capacity	75pcs
Weight(kg)	23.5kg/6pcs
Dimension	64.5x39.5x31cm
Qty/1*20 container	2166pcs

VIBRATOR

DK-VR-7/7S



Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1.5/2.2KW
No-Load Speed	2840r/min
G.W./PCS	26kg/1pc
Carton Size	42x27x29cm
Qty/1*20 container	890pcs

DK-VR-70




Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1.5/2.2KW
No-Load Speed	2840r/min
G.W./PCS	16kg/1pc
Carton Size	41x22x24cm
Qty/1*20 container	1357pcs

DK-VP-35-1



Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	800W
No-Load Speed	4300r/min
G.W./PCS	21kg/10pcs
Carton Size	44x34x34cm
Qty/1*20 container	5700pcs

DK-VP-35-2



Rated Voltage	220V/380V
Frequency	50Hz
Rated Input Power	1300W
No-Load Speed	4300r/min
G.W./PCS	25kg/10pcs
Carton Size	44x35x37cm
Qty/1*20 container	5090pcs

ELECTRIC WELDING MACHINE

DK-ZX7-250MA



Input voltage	220v/380v 50Hz
Rate capacity	5.4KVA/4.6KVA
No-oad voltage	80V/70V
Current	0-315A
Arc force	50A
Duty cycle	60%
Electrode	Φ1.6-3.2
Dimension	30.5x15x28cm
Gross	4.5kg
Qty/1*20 container	2400pcs

DK-WS-250MA



Input voltage	220v 50Hz
Rate capacity	4.2KVA
No-oad voltage	65V
Current	5-250A
Arc force	50A
Duty cycle	60%
Electrode	Φ1.6-3.2
Dimension	35.5x16.8x30.8cm
Gross	7.5kg
Qty/1*20 container	1568pcs

DK-ZX7-315MA



Input voltage	220v/380v 50Hz
Rate capacity	8.25KVA/6.78KVA
No-oad voltage	80V/70V
Current	0-315A
Arc force	50A
Duty cycle	60%
Electrode	Φ1.6-3.2
Dimension	30.5x15x28cm
Gross	5.3kg
Qty/1*20 container	2400pcs

DK-ZX7-400D



Input voltage	380v 50Hz
Rate capacity	12.7KVA
No-oad voltage	75V
Current	0-400A
Arc force	0-200A
Duty cycle	60%
Electrode	Φ2.5-4.0
Dimension	45.7x22.8x37.3cm
Gross	11kg
Qty/1*20 container	1370pcs

DK-ZX7-400MA



Input voltage	380v 50Hz
Rate capacity	14.5KVA
No-oad voltage	80V
Current	0-400A
Arc force	0-200A
Duty cycle	60%
Electrode	Φ3.2-5.0
Dimension	48x23x42cm
Gross	13kg
Qty/1*20 container	621pcs

DK-LGK-100



Input voltage	380v 50Hz
Rate capacity	17.8KVA
No-oad voltage	300V
Current	0-100A
Duty cycle	100%
Cutting thickness	25
Electrode	Φ1.6-3.2
Dimension	52.5x28.2x48cm
Gross	26kg
Qty/1*20 container	405pcs

MAG/MMA-200



Input voltage	170-250v 50/60Hz
Output current	20-140A
No-oad voltage	35-50V
Max input current	26A
Max input power	5.8KW
Duty cycle	30%
Electrode	Φ1.6-3.2
Dimension	41.5x30x28cm
Gross	8.1kg
Qty/1*20 container	826pcs

DK-NBC-350



Input voltage	380v 50Hz
Rate capacity	15.3KVA
No-oad voltage	68V
Current	0-350A
Duty cycle	60%
Size for electrode	Φ0.8-1.2
Material thickness	1-25
Dimension	53.5x27.5x47cm
Gross	24.3kg
Qty/1*20 container	416pcs

GENERATOR AND WELDING

DK250A



Welding voltage	22-28V
Maximum welding current	250A
Electrode diameter	2-5mm
DC output	5000W
Engine number	190F
G.W./PCS	85kg/1Pc
Packing size	72.5x54.5x56.5cm
Qty/1*20 container	126pcs

DK2500IM



Voltage/frequency	230V/50Hz
Rated power	1800W
maximum power	2000W
Engine model	152F
displacement	100CC
G.W./PCS	25KG/1pcs
Packing size	56.5x34.5x52.5cm
Qty/1*20 container	280pcs

GENERATOR GASOLINE

DK3500



Voltage/frequency	220V/50Hz
Rated power	2800W
maximum power	3000W
Engine model	170F
displacement	208CC
G.W./PCS	46kg/1Pc
Packing size	60.5x44.5x46cm
Qty/1*20 container	229pcs

DK6500



Voltage/frequency	220V/50Hz
Rated power	5000W
maximum power	5500W
Engine model	190F
displacement	420CC
G.W./PCS	74kg/1Pc
Packing size	71x54.5x57.5cm
Qty/1*20 container	128pcs



Diesel

GENERATOR GASOLINE

DK8000S



Voltage/frequency	380V/50Hz
Rated power	6000W
maximum power	7000W
Engine model	190F
displacement	420CC
G.W./PCS	84kg/1Pc
Packing size	71x54.5x57.5cm
Qty/1*20 container	128pcs

DK9500S



Voltage/frequency	380V/50Hz
Rated power	7000W
maximum power	8000W
Engine model	192F
displacement	439CC
G.W./PCS	87kg/1Pc
Packing size	71x54.5x57.5cm
Qty/1*20 container	128pcs

DK10000E



Voltage/frequency	230V/50Hz
Rated power	6.0KVA
maximum power	7.0KVA
Engine model	192FE
displacement	465CC
G.W./PCS	118KG/1pcs
Packing size	60.5x45x46.5cm
Qty/1*20 container	96pcs

DK160A



Voltage/frequency	230V/50Hz
Rated power	800W
maximum power	1000W
Engine model	DT170FB
displacement	212CC
G.W./PCS	30KG/1pcs
Packing size	52x43.5x49cm
Qty/1*20 container	236pcs

PUMP

DK170FA



Rated power	4000W
maximum power	4800W
torque	10/2500N.m/rmp
displacement	208cc
Bore	70x54mm
G.W./PCS	15kg/1Pc
Packing size	40x37x38cm
Qty/1*20 container	508pcs

DK188FA



Rated power	7200W
maximum power	8000W
torque	21/2500N.m/rmp
displacement	389cc
Bore	88x64mm
G.W./PCS	31kg/1Pc
Packing size	49x44x50cm
Qty/1*20 container	285pcs

DK20



Absorption process	5M
Lift	18M
No-load speed	3600r/min
maximum power	4800W
Engine model	170F
Packing number	1Pc
Packing size	48.5x39x41cm
Qty/1*20 container	370pcs

DK40/DK30



Absorption process	4M
Lift	15M
No-load speed	3600r/min
maximum power	4800W
Engine model	170F
Packing number	1Pc
Packing size	56.5x44.5x51.5cm
Qty/1*20 container	220pcs



Diesel

CHAIN SAW

DK01B-405



Skid Length	405mm
Saw Blade Speed	400m/min
Rated Input Power	1300W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	22.5kg/4Pcs
Carton Size	48x46x36cm
Qty/1*20 container	1310pcs

DK02B-405



Skid Length	405mm
Saw Blade Speed	400m/min
Rated Input Power	1300W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	23.5kg/4Pcs
Carton Size	48x46.5x43.5cm
Qty/1*20 container	1080pcs

DK06B-405



Skid Length	405mm
Saw Blade Speed	400m/min
Rated Input Power	1500W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	20kg/4Pcs
Carton Size	49.5x49x45cm
Qty/1*20 container	1000pcs

DK07B-405



Skid Length	405mm
Saw Blade Speed	400m/min
Rated Input Power	1600W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	15kg/2Pcs
Carton Size	51.5x48.5x24cm
Qty/1*20 container	1000pcs

CHAIN SAW

DK08B-405



Skid Length	405mm
Saw Blade Speed	400m/min
Rated Input Power	1800W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	15kg/2Pcs
Carton Size	51.5x48.5x24cm
Qty/1*20 container	1000pcs

GASOLINE SAW

DK6800



Displacement	55CC
Rated Power Output	2.4Kw/3.1Hp
Speeding	2800/11000rpm
oil fuel rate	1:25
Bore & Stroke	45.2*34mm
G.W./PCS	17.35kg/2pcs
Carton Size	54.5x29x42.5cm
Qty/1*20 container	830pcs

GASOLINE TRIMMER

DK750F



Engine	1E32F
Displacement	22.5CC
power	0.65KW
Speeding	3000r/min
oil fuel rate	1:25
fuel tank capacity	600ml
Cutting length	550mm
G.W./PCS	20.5kg/2pcs
Carton Size	118x51.5x28cm
Qty/1*20 container	3000pcs

DK230S-A



Engine	1E32F
Displacement	22.5CC
power	0.65KW
Speeding	300r/min
oil fuel rate	1:25
fuel tank capacity	600ml
Cutting length	550mm
G.W./PCS	19.2kg/2pcs
Carton Size	118x51.5x28cm
Qty/1*20 container	3000pcs

Lawn Mower

DK1668



Engine model	1P70F
Displacement	173CC
Engine power	5.0KW
Speeding	3000r/min
oil fuel rate	92#
Cutting Size	18"/20"
Grass collection capacity	70L
G.W./PCS	34.4kg/1pcs
Carton Size	80x59x44cm
Qty/1*20 container	135pcs

Lawn Mower

DK-ZP4-320



Power supply	220-240v 50/60Hz
Power	1200W
No-load speed	3600r/min
Cutting width	320mm
Grass box	30L
Features	Brush motor
Cutting length	26/41/56mm
G.W./PCS	8.5kg/1pcs
Carton Dimension	63x43x33.5cm
Qty/1*20 container	464pcs

Lawn Mower

DK-ZP4-380



Power supply	220-240v 50/60Hz
Power	1600W
No-load speed	3500r/min
Cutting width	380mm
Grass box	35L
Features	Brush motor
Cutting length	28/48/68mm
G.W./PCS	10.5kg/1pcs
Carton Dimension	69x46x33.5cm
Qty/1*20 container	240pcs

Lawn Mower

DK400/500/600



Size	16/18/20"
Cutting width	400/450/500mm
Cutting Height	34-64mm
Adjustable Height Position	6
Wheel Diameter	250mm
Net Weight	12.6/13.4/14kg
Gross Weight	14/14.5/15kg
Packing Size	59x47x27cm
Qty/1*20 container	320pcs

BRUSH CUTTER

DK40-5



Engine	1E40F-5
Displacement	42.7CC
power	1.3KW
Speeding	3000 r/min
oil fuel rate	1:25
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	7kg/1pc
Motor Carton Size	65x38x46cm/4pcs
Pole Carton Size	168x25x35cm/6pcs
Qty/1*20 container	570pcs

DK40-5




Engine	1E40F-5
Displacement	42.7CC
power	1.3KW
Speeding	3000 r/min
oil fuel rate	1:25
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	7kg/1pc
Motor Carton Size	65x38x46cm/4pcs
Pole Carton Size	168x25x35cm/6pcs
Qty/1*20 container	570pcs

DK40-6



Engine	1E40F-6
Displacement	42.7CC
power	1.3KW
Speeding	3000 r/min
oil fuel rate	1:25
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	7kg/1pc
Motor Carton Size	65x38x46cm/4pcs
Pole Carton Size	168x25x35cm/6pcs
Qty/1*20 container	570pcs



BRUSH CUTTER

DK139F

FOUR STROKE



Engine	139F
Displacement	31CC
power	0.8KW
Speeding	3000 r/min
oil	Gasoline
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	10kg/1pc
Motor Carton Size	65x38x46cm/2pcs
Pole Carton Size	152x33x23cm/6pcs
Qty/1*20 container	190pcs

DK139F

FOUR STROKE



Engine	139F
Displacement	31CC
power	0.8KW
Speeding	3000 r/min
oil	Gasoline
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	7kg/1pc
Motor Carton Size	65x38x46cm/4pcs
Pole Carton Size	168x25x35cm/6pcs
Qty/1*20 container	570pcs

DK235GX

FOUR STROKE



Engine	140F
Displacement	35.8CC
power	1.0KW
Speeding	3000 r/min
oil	Gasoline
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	10kg/1pc
Motor Carton Size	65x38x46cm/2pcs
Pole Carton Size	152x33x23cm/6pcs
Qty/1*20 container	190pcs

DK235GX

FOUR STROKE



Engine	140F
Displacement	35.8CC
power	1.0KW
Speeding	3000 r/min
oil	Gasoline
fuel tank capacity	1000ml
Pole Diameter	26mm
G.W./PCS	7kg/1pc
Motor Carton Size	65x38x46cm/4pcs
Pole Carton Size	168x25x35cm/6pcs
Qty/1*20 container	570pcs

WATER PUMP

DK60



H.Max/Q.Max	38m/40L/MIN
Rated Input Power	0.37KW
Rated Voltage	170-230v
Rated Frequency	50Hz
Speeding	2900MIN ⁻¹
G.W./PCS	32kg/6pcs
Carton Size	44x29x37.5cm
Qty/1*20 container	3600pcs

DK80



H.Max/Q.Max	70m/60L/MIN
Rated Input Power	0.75KW
Rated Voltage	220v
Rated Frequency	50Hz
Speeding	2900MIN ⁻¹
G.W./PCS	18.8kg/2pcs
Carton Size	38.5x35.5x23.5cm
Qty/1*20 container	1794pcs

DK100



H.Max/Q.Max	44m/70L/MIN
Rated Input Power	0.75KW
Rated Voltage	220v
Rated Frequency	50Hz
Speeding	2900MIN ⁻¹
G.W./PCS	13.4kg/1pcs
Carton Size	40x20x23cm
Qty/1*20 container	1390pcs

DK150



H.Max/Q.Max	42m/120L/MIN
Rated Input Power	1.1KW
Rated Voltage	220v
Rated Frequency	50Hz
Speeding	2900MIN ⁻¹
G.W./PCS	23.9kg/1pcs
Carton Size	55x24x26.5cm
Qty/1*20 container	824pcs

WASHER MACHINE

DK-K2



Working Pressure	8MPa
Flow	8L/MIN
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	1500W
G.W./PCS	24kg/2pcs
Carton Size	40.5x39.5x37cm
Qty\1*20 container	881pcs

DK-K390



Working Pressure	110PAR
Flow	8L/MIN
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	1500W
G.W./PCS	26kg/2pcs
Carton Size	40.5x39.5x37cm
Qty\1*20 container	881pcs

DK-QL-280



Working Pressure	8MPa
Flow	7L/MIN
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	1300W
G.W./PCS	21kg/1pcs
Carton Size	57x28x34cm
Qty\1*20 container	1050pcs

DK780



Working Pressure	150bar
Flow	7L/MIN
Rated Voltage	110/220V
Frequency	60/50Hz
Rated Input Power	2400W
G.W./PCS	30/42kg/1pcs
Carton Size	58x39x42cm
Qty\1*20 container	300pcs

CAR WASHER

DK-K16
4 IN 1



Working Pressure	1.75MPa
Flow	1.6MM
No-Load Speed	23000r/min
Battery	21V
G.W./pcs	23.8kg/5pcs
Carton Size	64x43x38cm
Qty\1*20 container	1375pcs

DK-K26



Working Pressure	26PAR
Input Power	200W
No-Load Speed	23000r/min
Battery	21V
G.W./pcs	18kg/5pcs
Carton Size	68x35.5x30.5cm
Qty\1*20 container	1955pcs

SPARY GUN

WK-SG-21V



Capacity	1000ml
Working Pressure	0.1PAR
Input Power	200W
No-Load Speed	42000r/min
Battery	21V
G.W./pcs	11kg/6pcs
Carton Size	41.5x32x62cm
Qty\1*20 container	2098pcs

VACUUM CLEANER

DK6602-B20



Capacity	20L
Rated Input Power	1000W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	5.3kg/1pc
Dimension	31.5x31.5x47.5cm
Qty\1*20 container	550pcs

DK6601-BS35-SS



Capacity	35L
Rated Input Power	1400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	7.8kg/1pc
Dimension	44x37x64cm
Qty\1*20 container	250pcs

DK6601-D60



Capacity	60L
Rated Input Power	1400W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	12..8kg/1pc
Dimension	46x46x76cm
Qty\1*20 container	160pcs

DK6605-B80



Capacity	80L
Rated Input Power	2800W
Rated Voltage	110/220V
Rated Frequency	60/50Hz
Weight(kg)	27kg/1pc
Dimension	58x51x95cm
Qty\1*20 container	92pcs

HOT GUN

DK200B



Temperature	First Gear 60~450 °C Second Gear 60~630 °C
Wind Volume	First Gear 300L/min Second Gear 500L/min
Rated Input Power	2000W
Rated Voltage	220v~230v
Rated Frequency	50Hz~60Hz
G.W./PCS	12.3/10pcs
Carton Size	41.5x28x54.5cm
Qty\1*20 container	4400pcs

ELECTRIC WRENCH

DK16BS-1



Socket	M10-M16
Torque Range	80~150N.m
Rated Input Power	350W
Rated Voltage	110/220V~
Rated Frequency	60/50Hz
G.W./PCS	17kg/5Pcs
Carton Size	44x33x31.5cm
Qty\1*20 container	568pcs

DK20BS-1



Socket	M12-M20
Torque Range	100~200N.m
Rated Input Power	450W
Rated Voltage	110/220V~
Rated Frequency	60/50Hz
G.W./PCS	18.3kg/5Pcs
Carton Size	44x33x31.5cm
Qty\1*20 container	8000pcs

DK24BS-1



Socket	M18-M24
Torque Range	200~450N.m
Rated Input Power	600W
Rated Voltage	110/220V~
Rated Frequency	60/50Hz
G.W./PCS	22kg/3Pcs
Carton Size	41.8x36.3x34cm
Qty\1*20 container	1600pcs

ELECTRIC WRENCH

DK30BS-1



Socket	M22-M30
Torque Range	400~900N.m
Rated Input Power	1300W
Rated Voltage	110/220V~
Rated Frequency	60/50Hz
G.W./PCS	15.36kg/1Pc
Carton Size	45x42x17cm
Qty\1*20 container	809pcs

DK36BS-1



Socket	M24-M36
Torque Range	500~1100N.m
Rated Input Power	1500W
Rated Voltage	110/220V~
Rated Frequency	60/50Hz
G.W./PCS	19kg/1Pc
Carton Size	76.5x23x33cm
Qty\1*20 container	447pcs



ELECTRIC HOIST

DK-PA-1000



LIFT	20M/12M
CAP	500~1000KG
Rated Input Power	1980W
Rated Voltage	220V~
Rated Frequency	50Hz
G.W./PCS	30.5kg/1Pc
Carton Size	57x25.5x32.5cm
Qty\1*20 container	619pcs

BLOWER

DK30X-2




Wind Volume	3.0m³/min
Rated Input Power	750W
No-Load Speed	0~16000r/min
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	13.2kg/4Pcs
Carton Size	52x39.5x43cm
Qty\1*20 container	1296pcs

DK-BL-400



Wind Volume	3.0m³/min
Rated Input Power	400W
No-Load Speed	14000r/min
Rated Voltage	110/220V
Rated Frequency	60/50Hz
G.W./PCS	12kg/6Pcs
Carton Size	58x24x39.5cm
Qty\1*20 container	3162pcs

DK-BL-800



Wind Volume	8.5m³/min
Rated Input Power	4200W
No-Load Speed	3000-18000r/min
Rated Voltage	220-240v
Rated Frequency	50/60Hz
G.W./PCS	18kg/4pcs
Carton Size	60x47x50cm
Qty\1*20 container	3000pcs

DK-BL-13F



Wind Volume	8m³/min
Rated Input Power	1400W
No-Load Speed	3000-17000r/min
Rated Voltage	220-240v
Rated Frequency	50/60Hz
G.W./PCS	18kg/4pcs
Carton Size	64x41x47cm
Qty\1*20 container	3000pcs

LASER LEVEL MACHINE

DK-L2X-3



Laser Line	2
Laser Color	GREEN
Accuracy	± 1mm/0.5mm
Working Range	5-10m
Power Supply	1.5A×3 / lithium battery
G.W./PCS	16kg/8pcs
Carton Size	60.5x41x24.5cm
Qty/1*20 container	3408pcs

DK-L3X-3



Laser Line	3
Laser Color	GREEN
Accuracy	± 1mm/0.5mm
Working Range	5-10m
Power Supply	1.5A×3 / lithium battery
G.W./PCS	16kg/8pcs
Carton Size	60.5x41x24.5cm
Qty/1*20 container	3408pcs

DK-L5X-3



Laser Line	5
Laser Color	GREEN
Accuracy	± 1mm/0.5mm
Working Range	5-10m
Power Supply	1.5A×3 / lithium battery
G.W./PCS	16kg/8pcs
Carton Size	60.5x41x24.5cm
Qty/1*20 container	3408pcs

STAND

DK-LS-120
DK-LS-150



Height	1.2m
G.W./PCS	21kg/30pcs
Carton Size	56x48x48cm
Height	1.5m
G.W./PCS	15.3kg/25pcs
Carton Size	47x40x59cm

MACHINE PARAMETERS

DK-3D-12XTD-1



Wave Length	532nm
Line width	2mm/5m
Line Accuracy	±1mm/5m
Scope of Work	15m(20m MAX)
Angle of Repose	±3°
Battery Capacity	2400mAh
Working Hours	5hours
G.W./PCS	15.5kg/6pcs
Carton Size	69x44x31.5cm
Qty/1*20 container	1920pcs

DK-3D-12XTD-2



Wave Length	532nm
Line width	2mm/5m
Line Accuracy	±1mm/5m
Scope of Work	15m(20m MAX)
Angle of Repose	±3°
Battery Capacity	2400mAh
Working Hours	5hours
G.W./PCS	15.5kg/6pcs
Carton Size	69x44x31.5cm
Qty/1*20 container	1920pcs

DK-3D-12XTD-3



Wave Length	532nm
Line width	2mm/5m
Line Accuracy	±1mm/5m
Scope of Work	15m(20m MAX)
Angle of Repose	±3°
Battery Capacity	2400mAh
Working Hours	5hours
G.W./PCS	18kg/10pcs
Carton Size	79.5x37x58.5cm
Qty/1*20 container	1694pcs

DISTANCE METER

DK-20M



Battery Voltage	1.5V×2
Laser Type	635nmpl≤1mw
Laser	2 Kind
Measurement format	20m
Weight(kg)	11.5kg/50pcs
Dimension	72x28x54cm
Qty/1*20 container	11926pcs

DK-40M



Battery Voltage	1.5V×2
Laser Type	635nmpl≤1mw
Laser	2 Kind
Measurement format	40m
Weight(kg)	7.5kg/20pcs
Dimension	34.5x33.5x22cm
Qty/1*20 container	20800pcs

DK-60M



Battery Voltage	1.5V×2
Laser Type	635nmpl≤1mw
Laser	2 Kind
Measurement format	60m
Weight(kg)	7.5kg/20pcs
Dimension	34.5x33.5x22cm
Qty/1*20 container	20800pcs

DERA SR SERIES



- High precision processed drill pipe with good concentricity and stable, high efficient operation
- Excellent and stable capability with comprehensive quality control system, high level diamond and high quality pre-alloy powder cutting head
- For construction material drilling use on situations like air-drilling for conditioner installation, pipeline, guideboard, stair armrest, airport and highway operation

SPECIFICATIONS

MODEL NUMBER	DIAMETER	LENGTH
DKSR-Z27 ~ Z200series	φ 27 - φ200	370

DERA JR SERIES



- Wave-like tooth design with easier and faster operation
- Optimized high level diamond with long service life
- For construction materials such as reinforced concrete core-drilling use, on situations like reinforced concrete drilling, air-conditioner installation, pipeline, guide-board, stair armrest, airport and highway drilling operations.

SPECIFICATIONS

MODEL NUMBER	DIAMETER	LENGTH
DKJR-Z27-Z254	φ 27 - φ 254	370

STANDARD SERIES

SPECIFICATIONS

MODEL NUMBER	DIAMETER*HOLE*TOOTH HEIGHT*TOOTH THICK- NESS(MM)	TOOTH TYPE	FEATURE DESCRIPTION	
DKM-105-30T	105(4")*1.6*20*30T	Alternating Tooth	4-inch 30T-1.6-20 for wood-working For normal cutting use of all kinds of cork wood and artificial board such as shaving board, density board, block board etc Convenient and comfortable to hold Good cutting quality	
DKM-105-40T	105(4")*1.6*20*40T	Alternating Tooth	4-inch 40T-1.6-20 for wood-working For normal cutting use of all kinds of cork wood and artificial board such as shaving board, density board, block board etc Convenient and comfortable to hold Good cutting quality	
DKM-180-40T	180(7")*2*25.4*40T	Alternating Tooth	7-inch 40T-2.0-25.4 for wood use For rough machining of wood materials such as dry cork, block board, shaving board cutting operation Highly optimized for general use with good cutting quality High performance-price ratio	
DKM-180-60T	180(7")*2*25.4*60T	Alternating Tooth	7-inch 60T-2.0-25.4 for wood use For rough machining of wood materials such as dry cork, block board, shaving board cutting operation Highly optimized for general use with good cutting quality High performance-price ratio	
DKM230-40T	230(9")*2.4*25.4*40T	Alternating Tooth	9-inch 40T-2.4-25.4 for wood use For rough machining of wood materials such as dry cork, block board, shaving board cutting operation Highly optimized for general use with good cutting quality High performance-price ratio	
DKM-230-60T	230(9")*2.4*25.4*60T	Alternating Tooth	9-inch 60T-2.4-25.4 for wood-working For rough machining of wood materials such as dry cork, block board, shaving board cutting operation Highly optimized for general use with good cutting quality High performance-price ratio	
DKM-250-40T	250(10")*2.6*25.4*40T	Alternating Tooth	10-inch 40T-2.6-25.4 for wood -working For rough machining of wood materials such as dry cork, block board, shaving board cutting operation Highly optimized for general use with good cutting quality High performance-price ratio	
DKM-255-60T	255(10")*2.6*25.4*60T	Alternating Tooth	10-inch 60T-2.6-25.4 for wood-working For rough machining of wood materials such as dry cork, block board, shaving board cutting operation Highly optimized for general use with good cutting quality High performance-price ratio	